

THE LEADER IN RIMFIRE AMMUNITION®



BLAZER



П






TABLE OF CONTENTS

CCI

Defense	3-4
Varmint	5-10
Small Game	11-14
Target & Plinking	15-18
Pest Control & Specialty	19-22
Primers	23-24
Ballistics	25-26

BLAZER

Handgun & Rimfire.....27-30

Rimfire ammunition has been around since the dawn of metallic cartridges, but at CCI®, we've never let that stand in the way of innovation. We're always looking to the future and building new loads built for today's needs. This year is no different, and shooters will find new rounds that help them defend, control pests, and shoot quieter. It's all coming up in the following pages.

As always, thank you for shooting CCI.






UPPERCUT DEFENSE

Last year, CCI® changed the face of self-defense with the first CCI 22 LR round that provides the power, penetration and reliability needed for protection: Uppercut[™]. This year, we're building off that proven platform with a 22 WMR offering that gives defenders even more rimfire options. The new round

features an unwaxed 40-grain jacketed hollow-point bullet with nose skiving that initiates full and reliable expansion through all platforms. It retains the weight needed to hit critical penetration depths, and CCI's legendary priming ensures it will always be ready when needed.





CRITICAL PENETRATION

Designed to retain weight on impact, Uppercut 22 LR achieves 8 to 10 inches of penetration in ballistics gel, with controlled expansion out of short-barrel semi-automatic pistols.

BALLISTICS

	PART BULLET		VEL	VELOCITY, FT/SEC EN		ENERGY, FT-LB		TRAJECTORY		TEST				
	NUMBER	CARTRIDGE	STYLE	WT. (GRS.)	MUZZLE	25 YDS	50 YDS	MUZZLE	25 YDS	50 YDS	MUZZLE	25YDS	50YDS	BARREL
	960CC*	22 LR	JHP	32	950	910	963	64	58	53	-1.5	 	-1.2	3"
NEW	22WMRUP	22 WMR	JHP	40	1050	1000	961	98	89	82	-1.5	+	-0.7	2"

st To ensure optimal performance, use in semi-automatic handguns with 2.5- to 4-inch barrels.

VARMINT



STINGER COPPER-PLATED HOLLOW POINT

Stinger 22 LR loads produce a muzzle velocity of 1,640 fps and are loaded within industry standard pressures. They shoot flat, anchor varmints fast and provide reliable performance thanks to CCI® priming and brass.

22PLINKSTER'S FAVORITE

CCI Stinger isn't just a great load for pinning down varmints. It's also one of the top choices of YouTube shooting sensation 22plinkster. He relies on the accuracy and consistency of Stinger and other CCI loads to pull off his jaw-dropping trick shots. It's why we also offer "Stanger" loads. They have the same great performance as the original, but with special edition packaging and naming that celebrates 22plinkster's signature drawl. youtube.com/user/22plinkster





VARMINT

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
STINGER**	50	22 LONG RIFLE	CPHP	32	1640
STANGERS**	50100CC	22 LONG RIFLE	CPHP	32	1640

 $[\]hbox{\tt ***} \ {\tt Use \ only \ in \ firearms \ having \ standard \ ANSI \ sporting \ barrel/chamber \ dimensions.}$







MAXI-MAG & VNT™ POUR PACKS

Got ammo? Now you do. CCI® Pour Packs hold 125 rounds of Maxi-Mag or VNT. The convenient cartons pour easily for high-volume shooting at the range or in the field. When the fun's over, they're easy to reclose until your next shoot.



- Flat-shooting
- Accurate
- Explosive expansion
- Available in 17 HMR and 22 Win. Magnum





UПT™

- Now available in 22 WMR, 17 Mach 2 and 17 HMR
- · Speer VNT bullet design
- 17 HMR is 100 fps faster than comparable loads
- Devastating terminal effect on varmints
- Nickel-plated brass on 17 Mach 2 and 22 WMR



TNT

- Destructive expansion on impact
- · Minimal mid-range rise
- Nearly identical point of aim to V-Max in 17 HMR



TIT GREEN®

- Lead-free bullet
- Explosive terminal performance
- Match-grade accuracy

VARMINT

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
17 HMR VNT POUR PACK*	923CC	17 HMR	VNT	17	2650
22 WMR VNT POUR PACK	929CC	22 WMR	VNT	30	2200
MAXI-MAG POUR PACK	920CC	22 WMR	JHP	40	1875
17 HMR TNT GREEN*	951	17 HMR	TNT GREEN HP	16	2500
17 HMR TNT*	53	17 HMR	JHP	17	2550
22 MAXI-MAG TNT	63	22 WMR	TNT JHP	30	2200
22 MAG TNT GREEN	60	22 WMR	TNT GREEN HP	30	2050
MAXI-MAG SEGMENTED HP 22	972CC	22 WMR	POLY-COATED SHP	46	1875
17 HMR VNT*	959CC	17 HMR	VNT	17	2650
17 HMR V-MAX*	49	17 HMR	POLY-TIP V-MAX	17	2550
17 MACH 2 VNT°	948CC	17 MACH 2	VNT	17	2010
22 WMR VNT	969CC	22 WMR	VNT	30	2200
22 MAG V-MAX	73	22 WMR	POLY-TIP V-MAX	30	2200

- * To avoid serious injury do not use in semi-automatic firearms without consulting with your firearms manufacturer; use only in modern firearms in good condition marked for 17 HMR cartridges.
- Or avoid serious injury from a ruptured cartridge, 17 Mach 2 ammunition should only be used in firearms with components specifically designed to safely fire 17 Mach 2 ammunition, including the firearms action components (bolt/firing mechanism). Do not use this ammunition in firearms that have been modified unless ALL the action components have been specifically designed and verified by the firearm manufacturer as intended for 17 Mach 2.
- V-Max is a registered trademark of Hornady®.

VARMINT



MINI-MAG SEGMENTED HOLLOW POINT

Mini-Mag Segmented Hollow Point combines all of what made the original a favorite with a bullet engineered to split into three equal-size parts on impact, creating three distinct wound channels that quickly take down varmints.

- Flat shooting and highly accurate to maximize effective range
- · Reliable feeding
- Clean-burning powder causes significantly less barrel fouling



Mini-Mag Segmented Hollow Point uses a bullet that splits into three pieces on impact, tripling the lethality.



- A CCI exclusive
- Great stopping power
- Reliable expansion



MINI-MAG

- · Reliable cycling
- Extreme accuracy
- High velocities and flat trajectories



MAXI-MAG®

- Clean-burning propellants
- Peak velocities
- Maximum energy transfer on impact







with the same bullet weight.

- Can be fired through bolt-action 17 HMR rifles
- Varmint Tip bullet provides rapid expansion

A17 17 HMR (949CC) shot into bare ballistics gel at 100 yards; 6 inches penetration.

VARMINT

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
MINI-MAG SHP	36CC	22 LONG RIFLE	SHP	40	1235
MINI-MAG HP	31	22 LONG RIFLE	CPHP	36	1260
SHORT HP	28	22 SHORT	CPHP	27	1105
A17 *	949CC	17 HMR	VARMINT TIP	17	2650
MINI-MAG HP ††	962	22 LR	CPHP	36	1260
MAXI-MAG HP ††	958	22 WMR	JHP	40	1875
MAXI-MAG HP+V	59	22 WMR	JHP	30	2200
MAXI-MAG HP	24	22 WMR	JHP	40	1875

^{*} To avoid serious injury do not use in semi-automatic firearms without consulting with your firearms manufacturer; use only in modern firearms in good condition marked for 17 HMR cartridges.

A17 is registered trademark of Savage Arms, Inc., licensed to CCI for use.

SMALL GAME



QUIET-22™ SEGMENTED HP

- 40-grain Segmented HP bullet
- No hearing protection needed when fired in locked-breech firearms
- · Standard 22 Long Rifle case
- Excellent accuracy

SUB-SONIC HP

- · Low noise
- Bullet expands without fragmenting
- Great performance on small game





SUPPRESSOR

- Subsonic velocity further minimizes noise through suppressed firearms
- Hollow-point bullet consistently expands at low velocities
- Reliable function in suppressed semi-automatic firearms
- Clean-burning powders



SMALL GAME

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
SUB-SONIC HP	56	22 LONG RIFLE	LHP	40	1050
QUIET-22 SEGMENTED HP *	970	22 LONG RIFLE	CPRN	40	710
SUPPRESSOR	957	22 LONG RIFLE	LHP	45	970
NEW SUPPRESSOR MAX	22SMX	22 LONG RIFLE	SHP	45	970

^{*} These cartridges may be used in semi-automatic firearms, however manual cycling of the action may be required.






ΠEW

Whisper-quiet yet powerful rimfire performance is now within reach. CCI Suppressor Max[™] is specifically designed for optimal accuracy, terminal performance and noise reduction when fired through rimfire suppressors. The specialized segmenting hollow-point bullet ensures violent disruption on impact—even at its low-decibel, sub-sonic 970 fps muzzle velocity, with excellent segmentation at 100 yards.

- Designed for maximum effectiveness on target out of a suppressed rifle or pistol
- · Loaded to 970 fps, Suppressor Max cycles in all semi-automatics
- 45-grain segmenting hollow-point bullet is safe to shoot through all suppressors
- Customized segmenting hollow point bullet expands reliably and dramatically at low velocity—totally unlike conventional suppressor rounds
- 100-count packaging







GAMEPOINT®

- Dimple-Tip expands like a big game bullet
- Minimal meat and hide damage
- Accurate, powerful





SMALL GAME FMJ

- Punches clean holes
- 17 HMR option is a CCI exclusive
- Very accurate
- No expansion



SMALL GAME

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
VELOCITOR HP	47	22 LONG RIFLE	CPHP	40	1435
SMALL GAME 17 HMR *	55	17 HMR	FMJ	20	2375
17 HMR GAMEPOINT *	52	17 HMR	JSP	20	2375
22 WMR GAMEPOINT	22	22 WMR	JSP	40	1875

^{*} To avoid serious injury do not use in semi-automatic firearms without consulting with your firearms manufacturer; use only in modern firearms in good condition marked for 17 HMR cartridges.



pour packs and 400-count bottles decked out in Realtree® Edge™ camouflage.

- Cuts lead buildup in suppressors 60 to 80 percent
- Optimized bullet geometry for improved accuracy
- Available in Sub-Sonic and High-Velocity



MAXI-MAG® TMJ®

- Consistent performance for plinking
- Utilizes surefire priming technology
- · Jacket seamlessly encases lead core for accuracy

22 LONG

- A CCI exclusive
- Only 22 Long load on the market
- Extreme reliability and accuracy







CLEAN-22 Hyper velocity

Get all the benefits of Clean-22 technology with the flat trajectories and power of an extreme velocity load. Clean-22 Hyper Velocity clocks in at 1550 fps, while its exclusive polymer bullet coating reduces fouling, especially in suppressed rimfires.

CLEAN-22™ SUPPRESSOR

- Ballistically optimized 45-grain lead round nose bullet
- Reliable function in semiautomatic firearms
- 1,000 fps muzzle velocity
- Advanced polymer bullet coating reduces lead fouling inside a suppressor 60 percent



TARGET, PLINKING & COMPETITION

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
CLEAN-22™ HYPER VELOCITY	954CC	22 LONG RIFLE	PURPLE RN	31	1550
CLEAN-22™ SUPPRESSOR	980CC	22 LONG RIFLE	BLACK RN	45	1000
QUIET-22™ SEMI-AUTO	975CC	22 LONG RIFLE	RN	45	835
MAXI-MAG TMJ	23	22 WMR	TMJ	40	1875
LONG	29	22 LONG	CPRN	29	1215
CLEAN-22 SUBSONIC	934CC	22 LONG RIFLE	BLUE RN	40	1070
CLEAN-22 HIGH VELOCITY	944CC	22 LONG RIFLE	RED RN	40	1235
MINI-MAG	30	22 LONG RIFLE	CPRN	40	1235
QUIET-22*	960	22 LONG RIFLE	LRN	40	710

^{*} These cartridges may be used in semi-automatic firearms, however manual cycling of the action may be required.

QUIET-22™ SEMI-AUTO

- Flawless cycling through semiautomatic rifles
- Dramatic reduction in perceived noise
- Excellent accuracy
- Low velocity



MINI-MAG®

- Original CCI 22 Long Rifle offering, and still the most popular
- · Reliable feeding
- Clean-burning powder minimizes barrel fouling



QUIET-22

- 75 percent less perceived noise than standard velocity 22 Long Rifle loads
- Excellent accuracy
- Low velocity







Get unmatched function in handguns with Pistol Match ammunition. Its precision components and tight tolerances make it an excellent choice for competitive handgun shooting.

- · Proven accuracy in handguns
- Improved functionality across different handguns



STANDARD VELOCITY

- Affordable practice round
- Same velocity as Green Tag

88888

 Consistent performance



22 AR TACTICAL

- Optimized for cycling and accuracy in rimfire AR platforms
- 1.5-inch groups at 100 yards in factory testing
- Copper-plated round-nose bullet







22 SHORT

- High velocity
- Copper-plated for clean bores
- Great accuracy, performance




CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
GREEN TAG	33	22 LONG RIFLE	LRN	40	1070
STANDARD VELOCITY	32	22 LONG RIFLE	LRN	40	1070
STANDARD VELOCITY*	35	22 LONG RIFLE	LRN	40	1070
22 SHORT	27	22 SHORT	CPRN	29	1080
PISTOL MATCH	51	22 LONG RIFLE	LRN	40	1070
AR TACTICAL **	956	22 LONG RIFLE	CPRN	40	1200

^{* 50-}count box



^{**} Bulk pack



HEVI-BISMUTH CENTERFIRE SHOTSHELL



You don't get to choose when or where you'll encounter dangerous, damaging pests. Be prepared to take them out with CCI® HEVI-Bismuth™ centerfire handgun shotshells. They're built on CCI's proven centerfire handgun shotshell design but are loaded with the Catalyst™ lead-free primer and HEVI-Bismuth pellets alloyed and cast in Sweet Home, Oregon. At 9.6 g/cc, the shot carries nearly the same density and downrange energy of lead, but adheres to all non-toxic ammunition requirements.

- · Completely lead-free
- Centerfire handgun shotshells
- 9.6 g/cc HEVI-Bismuth pellets
- Catalyst high-performance lead-free primer
- Effective short-range patterns on pests



HEVI-BISMUTH PEW PEST CONTROL RIMFIRE

Now you can take on damaging pests with rimfire handguns and rifles and the clean power of bismuth pellets. New CCI® HEVI-Bismuth™ rimfire shotshells are built on the proven rimfire shotshell design but are loaded with No. 11 non-toxic 9.6 g/cc pellets alloyed and cast in Sweet Home, Oregon.

- · Lead-free shot
- Effective close-range pest-control option
- Payload of No. 11 HEVI-Bismuth shot is nearly as dense as lead but 100 percent non-toxic
- · Reliable CCI priming
- · Available in 22 LR and 22 WMR

RIMFIRE PEST CONTROL

	CARTRIDGE	PART NO.	SHOT SIZE	APPROX. PAYLOAD, WT. (GRS)	VELOCITY	вох ст.
NEW	HEVI-BISMUTH 22 LR	39CCB	#11	23	1000	20
NEW	HEVI-BISMUTH 22 WMR	25CCB	#11	43	1000	20



CENTERFIRE HANDGUN BIG 4T SHOTSHELL

Big 4 loads extend the range and capabilities of centerfire handgun shotshells, thanks to a payload of No. 4 shot. The resulting energy and patterns take down larger pests at longer distances.



CENTERFIRE HANDGUN SHOTSHELL

- · New 10mm Auto offering
- · Great for close-range pest control
- · No. 9 lead payload
- Packed in reusable boxes of 10 shotshells

CENTERFIRE PEST CONTROL

CARTRIDGE	PART NO.	SHOT SIZE	APPROX. PAYLOAD, WT. (GRS)	VELOCITY	BOX CT.	BARREL LENGTH IN.
HEVI-BISMUTH 9MM LUGER	3790B	#11	43	950	10	4"
HEVI-BISMUTH 38 SPL/357 MAG	3738B	#8	80	1100	10	7.7"
HEVI-BISMUTH 40 S&W	3740B	#8	78	1300	10	4"
HEVI-BISMUTH 44 MAG/SPL	3744B	#8	112	1050	10	6"
HEVI-BISMUTH 45 AUTO	3745B	#8	115	1150	10	5"
HEVI-BISMUTH 45 COLT	3746B	#8	130	1050	10	6"
BIG 4 - 9MM LUGER *	3712CC	#4	45	1000	10	4"
BIG 4 - 38 SPL/357 MAG**	3714CC	#4	84	1000	10	4"
BIG 4 - 44 MAG**	3718CC	#4	110	1000	10	6"
BIG 4 - 45 COLT**	3722CC	#4	140	800	10	6"
9MM LUGER *	3790	#12	53	900	10	4"
38 SPL/357 MAG **	3738	#9	100	1050	10	7.7"
40 S&W ***	3740	#9	88	1250	10	4"
10MM AUTO	3710	#9	105	890	10	5"
44 MAG/SPL **	3744	#9	114	1000	10	6"
45 AUTO ***	3745	#9	120	1100	10	5"
45 COLT **	3746	#9	150	1000	10	6"

DO NOT USE SHOTSHELLS IN FIREARMS WITH PORTED BARRELS OR PORTED RECOIL COMPENSATORS. DO NOT RELOAD THESE CARTRIDGE CASES. These cases are marked NR (Not Reloadable). Rupture of reloaded cases can cause severe injury. Intended for short-range pest control; not recommended for self-defense. Cylinder lock up may occur in lightweight revolvers due to capsule movement resulting from recoil inertia. *These cartridges are loaded with a lighter projectile than conventional 9mm Luger ammunition for use in pistols and revolvers. They may not function reliably in all models of firearms. **May not function properly in rifles. ***DO NOT USE IN REVOLVERS—cylinder lock-up may occur.

PEST CONTROL



RIMFIRE SHOTSHELL

- Consistent patterns
- Easier hits on pests
- Only 22 WMR shotshell load on the market



- More effective at longer ranges on pests
- Accurate
- Great plinking loads








NOISE BLANKS

- Great for training
- Clean-burning propellant
- Work in any firearm chambered for 22 Short, Long or Long Rifle



22 WRF JACKETED HOLLOW-POINT

- 19th century favorite with 21st century technology
- Only 22 WRF JHP in the industry
- Copper composition and special base are ideal for old barrels





RIMFIRE PEST CONTROL

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
22 LR SHOTSHELL	39	22 LONG RIFLE	#12	31	1000
22 WMR SHOTSHELL	25	22 WMR	#12	52	1000
SPECIALTY					
CB SHORT	26	22 SHORT	LRN	29	710
CB LONG	38	22 LONG	LRN	29	710
NOISE BLANK	44	BLANK	_	_	_
22 WRF *	69	22 WRF	JHP	45	1300

DO NOT USE SHOTSHELLS IN FIREARMS WITH PORTED BARRELS OR PORTED RECOIL COMPENSATORS. DO NOT RELOAD THESE CARTRIDGE CASES. Rupture of reloaded cases can cause severe injury. Intended for short-range pest control; not recommended for self-defense. *Not for revolvers. Most 22 WRF revolvers have undersized bores that cannot use a jacketed bullet. Performance data derived from industry test barrels; provided for reference. Velocities from production firearms may vary. Specifications subject to change without notice.



STANDARD RIFLE/ PISTOL PRIMERS

- Clean-burning
- Mil-spec offerings available
- Unmatched reliability



MAGNUM RIFLE/ PISTOL PRIMERS

- Provide extra heat and ignition power
- 20 percent hotter flame to light propellants in the toughest hunting conditions
- · No loss in sensitivity



BENCH REST RIFLE PRIMERS

- Built specifically for bench rest shooters
- Engineered to provide precision ignition in tough competition
- Assembled with extra care for superior consistency and accuracy



PRIMER USAGE COLOR KEY

LARGE RIFLE

MAGNUM LARGE RIFLE

LARGE PISTOL


MAGNUM LARGE PISTOL

SMALL RIFLE MAGNUM SMALL RIFLE

SMALL PISTOL MAGNUM SMALL PISTOL

SHOTSHELL MAGNUM SHOTSHELL

MUZZLE LOADING MAGNUM MUZZLELOADING



SHOTSHELL PRIMERS

- 209 primer designed for standard field and target loads
- · Reliable, clean-burning
- Fit all modern shotshell cases with 209 primer pocket
- 209M is a true magnum shotshell primer for heavy waterfowl and turkey loads



PERCUSSION CAPS

- Non-corrosive, non-mercuric priming compounds
- Choice of styles
- Assembled with soft, ribbed copper cups



209 IN-LINE MUZZLELOADING PRIMERS

- · Optimized for muzzleloading
- Reduce fouling
- Formulated to ignite in humid conditions



FOUR-WING MUSKET CAPS

- Tough four-wing design
- Lighter explosive charge
- Designed especially for reenactment



PRIMERS

FILLIE		
PRIMER	PRODUCT TYPE	PART # BOXED
SHOTSHELL	209	8
SHUISHELL	209M	9
	400	13
SMALL RIFLE	450 MAG.	17
SIMALL RIFLE	NO. 41*/5.56MM	1
	BR4	19
	200	11
LARGE RIFLE	250 MAG.	15
LARGE RIFLE	NO. 34*/7.62MM	2
	BR2	10
SMALL PISTOL	500	14
SMALL PISTUL	550 MAG.	18
LARGE PISTOL	300	12
LARGE PISTUL	350 MAG.	16
MUZZLELOADING	209	307
	10	309
PERCUSSION	11	311
CAPS	11 MAG.	310
	FOUR WING MUSKET CAPS	301
50-CALIBER BMG	35*	320

All CCI primers and percussion caps are non-corrosive and non-mercuric. *Mil-spec offering.

ERIC GRAUFFEL WORLD IPSC CHAMPION



A lifelong passion for shooting has brought France's Eric Grauffel to victory at the highest levels of competition, with several national titles, eight European titles, multiple USPSA national titles, and eight World Champion titles to his credit. He trains and competes exclusively with CCI ammunition and components, and has since his first major titles in 1998. In addition to his competitive shooting career, Grauffel runs a custom shop and his own range where he trains shooters from all around the world.


BALLISTICS

CARTRIDGE/PRODUCT NAME	PART NUMBER	CARTRIDGE	BULLET STYLE	WT. (GRS.)		LOCITY, FT/ 50 YDS		EST. HANDG
DEFENSE								
	00000*	001.0	IIID	20	050	000	шш	ш.и.
UPPERCUT™	960CC*	22LR	JHP	32	950	963	##	##
UPPERCUT 22 WMR	22WMRUP	22 WMR	JHP	40	1050	961	##	##
VARMINT								
MAXI-MAG® SEGMENTED HP 22 WMR	972CC	22 WMR	POLY-COATED SHP	46	1875	1623	1430	133
VNT [™] *	959CC	17 HMR	VNT	17	2650	2353	2070	214
VNT°	948CC	17 MACH 2	VNT	17	2010	1724	1471	171
VNT	969CC	22 WMR	VNT	30	2200	1866	1571	161
22 WMR VNT POUR PACK 中中	929CC	22 WMR	VNT	30	2200	1866	1571	161
17 HMR VNT™ POUR PACK* 忡忡	923CC	17 HMR	VNT	17	2650	2353	2070	214
A17 * ተተ	949CC	17 HMR	VARMINT TIP	17	2650	2353	2070	214
17 HMR V-MAX *	49	17 HMR	POLY-TIP V-MAX	17	2550	2220	1915	204
17 HMR TNT® *	53	17 HMR	JHP	17	2550	2132	1757	204
17 HMR TNT GREEN® *	951	17 HMR	TNT GREEN HP	16	2500	2043	1642	195
SHORT HP	28	22 SHORT	CPHP	27	1105	961	868	107
STINGER® **	50	22 LONG RIFLE	CPHP	32	1640	1292	1066	139
MINI-MAG® HP	31	22 LONG RIFLE	CPHP	36	1260	1104	1003	108
MINI-MAG® SEGMENTED HP	36CC	22 LONG RIFLE	SHP	40	1235	1092	998	106
MINI-MAG® фф	962	22 LONG RIFLE	CPHP	36	1260	1104	1003	108
22 MAXI MAG® TNT®	63	22 WMR	TNT JHP	30	2200	1768	1405	161
MAXI-MAG® POUR PACK 中中	920CC	22 WMR	JHP	40	1875	1574	1319	142
22 MAG V-MAX	73	22 WMR	POLY-TIP V-MAX	30	2200	1866	1571	161
22 MAG TNT GREEN®	60	22 WMR	TNT GREEN HP	30	2050	1648	1317	147
MAXI MAG® HP	24	22 WMR	JHP	40	1875	1574	1317	142
MAXI MAG® ††	958	22 WMR	JHP	40	1875	1574	1319	142
• • • • • • • • • • • • • • • • • • • •	950	ZZ WIVIR	JUL	40	10/5	1574	1319	142
SMALL GAME	0001111	00 1 0010 01515	0110	45	070	000	050	0.5
SUPPRESSOR MAX	22SMX	22 LONG RIFLE	SHP	45	970	906	852	850
17 HMR *	55	17 HMR	FMJ	20	2375	2063	1776	183
17 HMR GAMEPOINT® *	52	17 HMR	JSP	20	2375	2051	1754	183
VELOCITOR®	47	22 LONG RIFLE	CPHP	40	1435	1230	1084	113
SUB-SONIC HP	56	22 LONG RIFLE	LHP	40	1050	963	897	94
QUIET-22™ SEGMENTED HP ***	970	22 LONG RIFLE	SHP	40	710	674	640	59
SUPPRESSOR	957	22 LONG RIFLE	LHP	45	970	906	852	85
22 MAG GAMEPOINT®	22	22 WMR	JSP	40	1875	1614	1385	142
COMPETITION/TARGET/PL	INHING							
QUIET-22™ SEMI AUTO	975CC	22 LONG RIFLE	SOFT POINT	45	835	795	755	808
CLEAN-22™ HYPER VELOCITY **	954CC	22 LONG RIFLE	SOFT POINT	31	1550	1327	1155	980
CLEAN-22™	934CC	22 LONG RIFLE	SOFT POINT	40	1070	977	908	940
CLEAN-22™	944CC	22 LONG RIFLE	SOFT POINT	40	1235	1092	998	106
CLEAN-22™ SUPPRESSOR	980CC	22 LONG RIFLE	BLACK RN	45	1050	940	885	840
CLEAN-22™ REALTREE®	966CC	22 LONG RIFLE	SOFT POINT	40	1235	1092	998	106
GREEN TAG®	33	22 LONG RIFLE	LRN	40	1070	977	908	940
PISTOL MATCH	51	22 LONG RIFLE	LRN	40	1070	977	908	940
SHORT	27	22 SHORT	CPRN	29	1080	946	857	105
LONG	29	22 LONG	CPRN	29	1215	1019	908	109
QUIET-22™ ***	960	22 LONG RIFLE	LRN	40	710	674	640	59
STANDARD VELOCITY	32	22 LONG RIFLE	LRN	40	1070	977	908	94
STANDARD VELOCITY	35	22 LONG RIFLE	LRN	40	1070	977	908	94
AR TACTICAL ††	956	22 LONG RIFLE	CPRN	40	1200	1056	964	102
MINI-MAG®	30	22 LONG RIFLE	CPRN	40	1235	1092	998	102
MINI-MAG 22LR	30	22 LONG RIFLE	CPRN	40	1235	1092	998	106
MAXI-MAG®	23	22 WMR	ТМЈ	40	1875	1603	1366	142
PEST CONTROL								
HEVI-BISMUTH 22 LR	39ССВ	22 LONG RIFLE	#11 SHOT	23	1000		_	_
HEVI-BISMUTH 22 WMR	25CCB	22 WMR	#11 SHOT	43	1000	_	_	_
22 LR SHOTSHELL	39	22 LONG RIFLE	#12 SHOT	31	1000	-	_	_
22 WMR SHOTSHELL	25	22 WMR	#12 SHOT	52	1000		_	_
LOW NOISE / TRAINING / SPE	CIALTY							
CB SHORT	26	22 SHORT	LRN	29	710	656	607	706
05 0.1011								
CB LONG	38	22 LONG	LRN	29	710	656	607	706

	ERGY, FT-I		OE V/DC		CTORY	1007/00	DOV OT	COPOLAL FEATURE
MUZZLE	50 YDS	100YDS	25 YDS	50YDS	75YDS	100YDS	вох ст.	SPECIAL FEATURES
64	53	##	 	-1.2	##	##	50	Optimized For Semi-Automatic Handguns with 2.5- To 4-Inch Barrels
98	82	##	+	-0.7	##	##	50	Optimized for Handguns
359 269	269	201 162	0.1 -0.6	0.9	0.8	+	50 50	First 22 WMR Bullet to Split in Three Parts on Impact Explosive and 100 fps Faster than Comparable 17 HMR
152	112	82	-0.0	0.0	0.2	Ψ Φ	50	Explosive Expansion and Superb Long-Range Accuracy
322	232	164	-0.2	0.5	0.6	+	50	Explosive Expansion and Superb Long-Range Accuracy
322	232	164	-0.2	0.5	0.6	+	125	Bulk Carton; Explosive Expansion and Superb Long-Range Accuracy
269	209	162	-0.6	0.0	0.2	•	125	Bulk Carton; Explosive Expansion and Superb Long-Range Accuracy
269	209	162	-0.6	0.0	0.2	 	200	Fastest 17-Grain 17 HMR on the Market
245	186	138	-0.5	0.1	0.3	 	50	Deadly on Varmints
245	172	116	-0.4	0.2	0.4	 	50	Explosive on Varmints
222	148	96	-0.5	0.1	+	-0.6	50	Lead-Free Bullet, Explosive on Varmints
73	55	45	0.3	+	-2.6	-7.9	100	Fastest 22 Short, Only Short HP
191	119	81	0.1	0.7	+	-2.3 -3.2	50	The Hypervelocity Leader for More than 30 Years The Leading High Velocity 22 Lang Bifle LIB.
127 135	97 106	80 88	0.6 0.7	1.2	ф	-3.2	100	The Leading High-Velocity 22 Long Rifle HP Bullet Splits in Three Parts on Impact
127	97	80	0.7	1.2	Ψ Φ	-3.2	300	The Leading High-Velocity 22 Long Rifle HP
322	208	131	-0.1	0.7	0.8	\$	50	Highest Velocity Win. Magnum, Explosive on Varmints
312	220	155	0.1	1.0	1.1	+	125	Bulk Carton; High Velocity, Controlled Expansion
322	232	164	-0.2	0.5	0.6	+	50	Superior Accuracy, Explosive on Varmints
280	181	116	0.1	0.9	1.0	•	50	Lead-Free Bullet, Explosive on Varmints
312	220	155	0.1	1.0	1.1	•	50	High Velocity, Controlled Expansion
312	220	155	0.1	1.0	1.1	 	200	High Velocity, Controlled Expansion
0.4	0.0	70	0.5	.	0.1	0.1	100	For all and an arrange of the state of the s
94	82 189	73 140	0.5 -0.4	0.3	-3.1 0.4	-9.1 +	100 50	Excellent segmentation at 100 Yards
250 250	187	137	-0.4	0.3	0.4	Ψ	50	No Expansion/Reduced Meat Damage Controlled Expansion/Deep Penetration
183	134	104	0.3	0.9	+	-2.5	50	Fastest 40 grain 22 Long Rifle
98	82	72	1.2	1.8	+	-4.3	100	Quiet/Hollow-Point is Engineered to Work at Low Speed
45	40	36	1.5	+	-6.4	-17.8	50	Generates 75 Percent Less Perceived Noise than Standard 22 LR
94	82	73	0.5	+	-3.1	-9.1	50	Optimized for use with Suppressed Firearms
312	231	170	0.1	0.9	0.9	 	50	Controlled Expansion/Deep Penetration
70	63	57	0.9	+	-4.3	-12.2	50	Low Noise and Functions In Semi-Autos
165	121	92	-0.6	1.75	1.6	+	50	Hyper Velocity Function and Reduced Fouling
102	85 106	73 88	0.3	\$	-2.6 •	-7.6	100	Sub-Sonic Performance with Less Lead Fouling
135 100	88	83	0.7	1.3 	-2.9	-3.3 -8.4	100 200	High Velocity Function and Reliability with Less Lead Fouling Quiet and Clean, with Less Fouling in Suppressors
135	106	88	0.4	1.3	- 2.9	-3.3	400	High Velocity Function and Reliability with Less Lead Fouling
102	85	73	0.3	+	-2.6	-7.6	100	Precision Specs for Accuracy, Sub-Sonic
102	85	73	0.3	+	-2.6	-7.6	50	Precision Specs for Accuracy, Sub-Sonic
75	58	47	0.3	•	-2.7	-8.1	100	Copper-Plated for Clean Bores
95	67	53	0.1	 	-2.2	-6.8	100	Only Classic 22 Long
45	40	36	1.5	+	-6.4	-17.8	50	Reliable cycling in semi-automatic firearms with 16- to 20-inch barrels
102	85	73	0.3	 	-2.6	-7.6	100	Inexpensive Practice with Same Ballistics as Green Tag®
102	85	73	0.3	+	-2.6	-7.6	50	Inexpensive Practice with Same Ballistics as Green Tag®
128	99	82	0.1	+	-2.1	-6.0	300	Optimized for Reliable Function in AR-22 Platforms
135	106	88	0.7	1.3	+	-3.3	100	Leading High-Velocity 22 Long Rifle
135	106	88	0.7	1.3	+	-3.3 A	50	Leading High-Velocity 22 Long Rifle
312	228	166	0.1	0.9	1.0	+	50	Solid Target Performance
_	_	_	_	_	_	_	20	Meets Nontoxic Shot Requirements
_	_	_	_	_	_	_	20	Meets Nontoxic Shot Requirements
_	_	_	_	_	_	_	20	Easy Pest Control
_	_	_	_	_	_	_	20	Short-Range Pest Control
20	20	24	1.0	Ф	-6.7	-10.0	100	Sub Sania Poet Control
32	28 28	24 24	1.6 1.6	+	-6.7 -6.7	-18.8 -18.8	100	Sub-Sonic Pest Control Sub-Sonic Pest Control
30	~ 0	~ 4	1.0	Ψ		10.0	100	our come rest control
32 169	126	103	0.6	1.1	+	-3.1	50	A Venerable Classic


CB = "conical ball" reduced power/hoise; FP = flat point, CP = copper-plated; L = lead; J = jacketed; HP = hollow-point, RR = Rimfire; RN = round nose; SHP = segmented hollow-point, SP = soft point, TM = encapsulated full metal jacket.

†—not for revolvers Most 22 WRF revolvers have undersized bares that cannot use a jacketed bullet. Performance data derived from industry test barrels; provided for reference. Velocities from production firearms may vary. Specifications subject to change without notice. ††—Bulk pack § Trajectory—bulle path based on 1.5 inches sight height. * Do not use 17 HMR ammunition in semi-automatic firearms without first contacting your gun manufacturer. *** Uses only in iteratives to change without notice. †† To avoid serious injury from a ruptured cartridge, 1 firearms however manufacturer as exion may be required. *To avoid serious injury from a ruptured cartridge, 1 firearms with components specifically designed to safely fire 17 Mach 2 ammunition, including the firearms action may be expensive. Do not use this ammunition in firearms that have been modified unless ALL the action components have been specifically designed and verified by the firearm manufacturer as intended for 17 Mach 2.



Carton-style Blazer® Pour Packs make it easy to handle all the ammo needed for a big day at the range. The cartons hold 425 rounds of Blazer 22 Long Rifle ammunition loaded with 38-grain round nose bullets. They're consistent, accurate and built for high-volume shooting. When range day is done, the containers close securely to hold the remaining rounds until your next shoot.

- 38-grain lead round nose bullets
- With a bull's-eye graphic printed on its side, the carton can be emptied, flattened and used as a target
- 1,235 fps muzzle velocity
- Clean-burning propellant and consistent non-corrosive priming



BLAZER 22 LR PLINKING PERFORMER

Our 22 Long Rifle ammo is loaded with a 40-grain bullet that's great for everything from small game hunting to casual plinking. *Now available in buckets!*

			ви	ILLET	VEL	OCITY, FT	SEC	EST.	EN	ERGY, FT-I	LBS	TE	RAJECTOR	Y (INCHE	S)	вох
CARTRIDGE	PART #	WT, (GRS)	STYLE	TYPE	MUZZLE	50 YDS	100 YDS	HANDGUN	MUZZLE	50 YDS	100 YDS	25 YDS	50 YDS	75 YDS	100 YDS	CT.
22 LONG RIFLE	0021	40	LRN	HIGH VELOCITY	1235	1104	1026	1060	135	108	93	0.7	1.2	+	-3.2	50
22 LONG RIFLE	10022	38	LRN	HIGH VELOCITY	1235	1090	995	1060	135	100	84	0.7	1.3	+	-3.3	525
22 LONG RIFLE	10025	38	LRN	HIGH VELOCITY	1235	1090	995	1060	135	100	84	0.7	1.3	+	-3.3	1500
22 LONG RIFLE	10026	38	LRN	HIGH VELOCITY	1235	1090	995	1060	135	100	84	0.7	1.3	 	-3.3	425
ABBREVIATION KEY:	FMJ—full	metal jacket	FN—	flat nose HP —hollo	w point I	L—lead	J —jacketed	d TMJ ®—en	cased-core	full jacke	t RN —ro	und nose				

Test barrels are used to determine ballistic figures. Individual firearms may vary. These figures are approximate and are shown for reference. V = Vented test barrel simulating revolver performance.





BLAZER BRASS HP **NEW**

Be ready to defend when needed with the performance of Blazer® Brass HP. Featuring reloadable brass cases, clean CCI® primers and an accurate hollow-point bullet that offers reliable expansion, it's a quality multipurpose cartridge that's affordable enough to train and defend with the same round.

		BULI	.ET	TEST BARREL VELOCITY, FT/SEC					IERGY, FT-L	.BS		TRAJECTORY (INCHES)			
CARTRIDGE	PART #	WT, (GRS)	TYPE	LENGTH (INCHES)	MUZZLE	50 YDS	100 YDS	MUZZLE	50 YDS	100 YDS	25 YDS	50 YDS	75 YDS	100 YDS	
NEW 9MM LUGER	5239	115	JHP	4	1145	1048	978	335	280	244	+	-0.9	-3.8	-8.8	
NEW 40 S&W	5241	180	JHP	4	1015	960	915	412	368	334	+	-1.34	-5.0	-11.2	
NEW 10 MM AUTO	5251	180	JHP	5	1175	1077	1006	552	463	404	+	-2.2	-7.7	-16.4	
NEW 45 AUTO	5245	230	JHP	5	850	819	790	369	343	319	-	-0.8	-3.5	-8.2	

BLAZER ALUMINUM

GREAT ECONOMY THROUGH GREAT TECHNOLOGY

Shoot more with Blazer Ammunition. Our aircraft-grade aluminum is heat-treated and provides the same great performance of brass-case ammo at a more economical price.

- · Loaded with quality bullets and reliable ignition primers
- · Wide selection of bullet weights and styles
- Greatly reduces the cost of practice



		BULLET		TEST BARREL	VEL	VELOCITY, FT/SEC			IERGY, FT-L	.BS	TRAJECTORY (INCHES)			
CARTRIDGE	PART #	WT, (GRS)	TYPE	LENGTH (INCHES)	MUZZLE	50 YDS	100 YDS	MUZZLE	50 YDS	100 YDS	25 YDS	50 YDS	75 YDS	100 YDS
25 AUTO	3501	50	FMJ	2	755	712	673	63	56	50	+	-3.1	-10.6	-22.6
32 AUTO	3503	71	FMJ	4	900	841	791	128	112	99	+	-2.0	-7.0	-15.3
380 AUTO	3505	95	FMJ	3.75	945	888	839	188	166	149	+	-1.7	-6.1	-13.5
9MM LUGER	3509	115	FMJ	4	1145	1046	975	335	279	243	+	-0.9	-3.8	-8.9
38 SPECIAL	3522	158	LRN	4V	755	728	702	200	186	173	+	-3.2	-10.8	-22.1
	3514	125	JHP	4V	945	887	838	248	218	206	+	-1.7	-6.1	-13.5
38 SPECIAL +P	3519	158	FMJ	4V	850	816	785	253	234	216	+	-2.2	-7.4	-16.4
357 MAGNUM	3542	158	JHP	4V	1150	1056	987	464	391	364	+	-0.9	-3.7	-8.7
40 S&W	3589	165	FMJ	4	1100	1006	938	443	371	323	+	-1.1	-4.3	-9.8
10MM AUTO	3597	200	FMJ	5	1050	985	933	490	431	387	+	-1.2	-4.6	-10.4
44 SPECIAL	3556	200	JHP	5.15	920	872	829	376	337	305	+	-1.7	-6.3	-14.0
44 MAGNUM	3564	240	JHP	6.5V	1200	1092	1015	767	636	549	+	-0.8	-3.3	-7.9
45 AUTO	3570	230	FMJ	5	845	807	773	365	333	305	+	-2.3	-7.8	-17.0
45 COLT	3584	200	JHP	7.26	1000	935	882	444	388	345	+	-1.4	-5.3	-11.8



BLAZER BRASS ECONOMIC RELIABILITY

Blazer® Brass handgun ammunition features reloadable brass cases, quality primers and clean-burning propellants. It offers reliable, accurate performance for target shooting and plinking.

	CARTRIDGE	PART #	BUL WT, (GRS)			VEL MUZZLE	OCITY, FT/S	SEC 100 YDS	EN MUZZLE	ERGY, FT-L 50 YDS	.BS 100 YDS	TRAJECTORY (INCHES) 25 YDS 50 YDS 75 YDS 100 YDS				
Ų	30 SUPER CARRY	5205	115	FMJ FN	4	1150	1049	977	338	281	244	 	-0.3	-2.6	-7.0	
	380 AUTO	5202	95	FMJ RN	3.75	945	888	839	188	166	149	+	-1.7	-6.1	-13.5	
NEW	9MM LUGER	5296	100	FMJ RN	4	1130	1002	917	284	223	187	+	-1.0	-4.2	-9.8	
		5200	115	FMJ RN	4	1145	1046	975	323	278	247	-	-0.9	-3.8	-8.9	
	9MM LUGER	5201	124	FMJ RN	4	1090	1014	955	327	283	251	+	-1.1	-4.3	-9.7	
	5203	5203	147	FMJ FN	4	950	903	862	295	266	243	-	-1.6	-5.9	-13.0	
	38 SPECIAL	5204	125	FMJ FN	4 V	865	824	786	208	188	172	+	-2.2	-7.5	-16.2	
	357 MAGNUM	5207	158	JHP	4 V	1250	1130	1044	548	448	382	 	-0.4	-2.6	-6.6	
	40 COW	5210	165	FMJ FN	4	1050	971	911	404	345	304	+	-1.1	-4.3	-9.8	
	40 S&W	5220	180	FMJ FN	4	985	935	875	388	350	306	+	-1.4	-5.2	-11.8	
	10 MM AUTO	5221	180	FMJ	5	1200	1078	994	575	464	395	+	-1.4	-4.7	-10.1	
	45 AUTO	5230	230	FMJ RN	5	830	794	760	352	322	295	+	-2.4	-8.2	-17.5	

Performance data derived from industry test barrels: provided for reference. Velocities from production firearms may vary. Specifications subject to change without notice.

